Table 1
Information requirements for gaseous/liquid fuel local space heaters

Model identifier(s):	L2:	3 Flueless Gas Fire	e - LPG				
Indirect heating functionalit	y: [y€	⊭s/no]					
Direct heat output:	1.6	5 (kW)					
Indirect heat output:	N.	۹.					
Fuel					Space h	eating en	nissions(*)
			1			NO _x	
Select fuel type		[gaseous/liquid] [specify]			[mg/kWh _{input}] (GCV)		
		Gaseous	Propane		< 130 t.b.c.		o.c.
Item	Symbol	Value	Unit	Item	Symbol	Value	Unit
Heat output				Useful efficiency (NCV)			
•							
Nominal heat output	P _{nom}	1.6	kW	Useful efficiency at nominal heat output	$\eta_{\it th,nom}$	100	%
Minimum heat output (indicative)	P _{min}	1.2	kW	Useful efficiency at minimum heat output (indicative)	$\eta_{\it th,min}$	100	%
Auxiliary electricity consumption				Type of heat output/room temperature control (select one)			
At nominal heat output	el _{max}	0.0	kW	single stage heat output, no ro	oom tempei	[yes /no]	
At minimum heat output	el _{min}	0.0	kW	two or more manual stages, n temperature control	-		
In standby mode	elsB	0.0	kW	with mechanic thermostat roc control	om temperature [y 4		[yes /no]
				with electronic room tempera	ture control		[yes /no]
				with electronic room tempera	ture control plus		[yes /no]
				day timer	ture control plus [r / 1
				with electronic room tempera week timer			[yes /no]
				Other control options (mul	tiple selec	ossible)	
				•	om temperature control, with presence		
				room temperature control, wi	th open window [ves /nc		[yes /no]
	detection					[703/110]	
				with distance control option			[yes /no]
				with adaptive start control			[yes /no]
				with working time limitation			[yes /no]
				with black bulb sensor		[yes /no]	
Permanent pilot flame power requirement							
Pilot flame power requirement (if applicable)	P _{pilot}	N.A.	kW				
Contact details		Superior Fires 10 Avon Trading Park, Christchurch, Dorset, BH23 2BT					
/*\ NO	TO AVOI	i irauing Park, Cr	ıııstchu	עוו, טטואפנ, אחבא באו			
(*) NO _x =nitrogen oxides							